

PIPE SELECTION GUIDE

compiled by Traci Read ■ Senior Editor

Advanced Drainage Systems

4640 Trueman Blvd., Hilliard, OH 43026, ph: 800-821-6710, fx: 614-658-0204
www.ads-pipe.com, email: info@ads-pipe.com, Contact: Tony Radoszewski
Superior abrasion/corrosion resistance and soil-tight or water-tight joints
provide long term economical solutions for stormwater management
systems.

Product Name	Type of Pipe	Pipe Diameter
N-12 Pipe	dual wall corrugated HDPE	4"-60"
Single Wall Pipe	corrugated HDPE	3"-24"
AdvanEDGE	flat corrugated HDPE	12",18"
Flat Pipe ADS 3000 Triple	3-wall corrugated HDPE	2",4"

American Cast Iron Pipe (ACIPCO)

1501 31st Avenue North, Birmingham, AL 35207, ph: 800-442-2347,
fx: 800-442-2348, www.acipco.com, Contact: Maury Gaston
American's pipe is used for water and wastewater systems. American
furnishes ductile pipe for HDD installations.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
American Spiral Weld	steel	66"-144"	20'+
American Ductile Iron	ductile	4"-64"	20' nominal

American Pipe & Plastics

PO Box 577, Binghamton, NY 13902, ph: 607-775-4340, fx: 607-775-2707,
www.ampipe.com, email: cmunson@ampipe.com, Contact: Charles Munson
American Pipe & Plastics is a manufacturer of PVC conduit, conduit systems
and fabricated accessories for the telecommunications, fiber optics and
power utility markets. In addition, American Pipe & Plastics manufactures
the AM-Liner® trenchless PVC pipeline rehabilitation system.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
AM-Liner [®]	PVC pipe liner	6"-12"	6"-2,000'; 10"-685' 8"-4,050'; 12"-530'
AM-TEL	PVC	4"	20'
AM-Duct	PVC	1-1/2", 2", 3", 4", 5", 6"	20'
AM-FO	PVC	1-1/4", 1-1/2", 2"	20'
AM-COM	PVC	1-1/4", 1-1/2", 2", 3", 4"	20'

Ameron International

10681 Foothill Blvd, Ste. 450, Rancho Cucamonga, CA 91730,
ph: 909-944-4100, fx: 909-944-4113, www.ameronpipe.com
Manufacturers of non-round and round fiberglass pipe for new construc-
tion and sliplining rehabilitation of pressure and gravity flow pipes.

Amitech USA

18585 Samuels Rd., Zachary, LA 70791, ph: 225-658-6166, fx: 225-658-0947,
www.amitechusa.com, email: sales@amitechusa.com
Meyer polycrrete used for microtunneling; Flowtite used for sewer/water
(NSF 61) in pressure and gravity applications.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Flowtite	GRP (fiberglass)	12" - 96"	10' - 40'
Meyer Polycrrete	polymer concrete	8" - 102"	8' - 10'

Arnco Corp.

860 Garden Street, Elyria, OH 44035, ph: 800-321-7914, fx: 440-322-1001,
www.arncocorp.com, email: info@arncocorp.com, Contact: Dave Moore
Arnco's family of products include HDPE duct and pressure pipe in sizes
ranging from ½ in. to 24 in. and HDPE mini duct.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Perma-Guard	PE	1/2" - 18"	400' - 10,000'
Pressure-Guard	PE	4" - 24"	20' - 50'

Berg Steel Pipe Corp.

10375 Richmond Ave., Ste. 425, Houston, TX 77042, ph: 832-476-1603,
fx: 713-827-7423, www.bergpipe.com, email: doug.parrish@bergpipe.com,
Contact: Douglas Parrish

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Berg Pipe	carbon steel	24" - 64"	DRL or DJL

Caldwell Design & Fabrication

801 Staton Rd., Greenville, NC 27834, Contact: Jim Caldwell

Can-Clay Corp.

402 Washington St., Cannelton, IN 47520, ph: 812-547-3461,
fx: 812-547-6514, www.canclay.com, email: sales@canclay.com
Vitrified clay pipe provide proven unsurpassed life for sanitary sewer lines
for open trench and trenchless installations.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
DENLOK	clay	6"-48"	up to 10'
NOBEL	clay	4"-48"	up to 10'
CanOLok	clay	4"-36"	up to 10'

CertainTeed Corp.

750 E. Swedesford Rd., Valley Forge, PA 19482, ph: 866-CT4-PIPE,
fx: 610-254-5428, www.certainteed.com, email: piping@certainteed.com,
Contact: Steven B. Gross

CertainTeed is a leading supplier of high-strength restrained joint PVC pipe
for trenchless construction projects (water, sewer, telecom, electrical) and
other applications.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
C900/RJ	PVC	4"-12"	10'-20'
C905/RJ	PVC	16"	10'-20'
Certa-Com	PVC	4"-6"	10'-20'
Yelomine	Modified PVC	2"-16"	10'-20'

Clow Water Systems Company

PO Box 6001, Coshocton, OH 43812, ph: 740-622-6651, fx: 740-622-8551,
www.clowwater.com, email: scott.frank@clowwater.com,
Contact: Scott Frank

Clow provides ductile iron pipe for water and wastewater systems. Clow
stocks Super-Lock pipe and puller heads for HDD applications.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Super-Lock	ductile iron	6"-30"	18' nominal

Contech Construction Products

9025 Centre Pointe Dr., Ste. 400, West Chester, OH 45069, ph: 800-338-1122,
fx: 513-645-7993, www.contech-cpi.com, email: info@contech-cpi.com,
Contact: Doug Witten

For applications such as storm water detention systems, drainage, sanitary
sewers, storm sewers, sliplining, tunneling and rehabilitation.

Product Name	Type of Pipe	Pipe Diameter
HEL-COR	steel	6"-126"
ULTRA FLO	steel	18"-102"
A-2000	PVC	4"-36"
Smooth Cor	steel	18"-126"
A2	PVC	12"-36"

Diamond Plastics

1212 Johnstown Rd., Grand Island, NE 68802-1608, ph: 800-782-7473,
fx: 308-384-9345, www.dpcpipe.com
Diamond Plastics produces solid wall and profile wall "Rieber" gasketed
PVC pipe for pressure and gravity applications in sizes from 1 ½" to 60".

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Trans-21/F679	PVC	16"-48"	20'
PRO-21	PVC	30"-60"	14', 20'
CORR 21	PVC	12"-48"	14', 20'
Diamond C900/D3034	PVC	4', 10"-15"	14', 20', 22'
Diamond IPS & AG			

PIPE SELECTION GUIDE

Drill Pipe Industries Inc.

PO Box 1259, Texarkana, TX 75504, ph: 903-794-3602, fx: 903-794-7473, www.drillpipeindustries.com, email: dpaiq@aol.com, Contact: Rochelle Knighton

Egeplast Werner Strumann, GmbH

Robert-Bosch-Strasse 7, D-48268 Greven, Germany, ph: +49.2575.9710-0, fx: +49.2575.9710-110, www.egeplast.de, email: info@egeplast.de

Europipe GmbH

Formerstrasse 49, 40878 Ratingen, Germany, ph: +49 (0)2102 857-0, fx: +49 (0)2102 857-285, www.europipe.de, email: europipe@europipe.com

Future Pipe Industries

11811 Proctor Rd., Houston, TX 77038, ph: 281-847-2987, fx: 281-847-4216, www.futurepipe.com, email: t.swisher@futurepipe.com, Contact: Tom Swisher

Manufacturer of non corrosive piping for water and wastewater transmission in gravity and pressure applications. Installations include open trench, sliplining, tunnels (jacking) and above ground.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Fiberstrong	fiberglass	14"-158"	up to 40'

Gajeske

6903 Long Point Rd, Houston, TX 77055, ph: 713-688-2728, fx: 713-688-5858, www.plasticpipeco.com, email: gajeske@flash.net

Griffin Pipe Products Co.

1400 Opus Place, Ste. 700, Downers Grove, IL 60515, ph: 630-719-6500, fx: 630-719-2252, www.griffinpipe.com, Contact: Robert Waggoner
Griffin Pipe manufactures ductile iron pipe for water and wastewater applications. Visit our website for your local salesperson contact information.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Griffin Pipe	ductile iron	3"-48"	18', 20'

H. Butting Edeltahlrohre

Gifhorner Strasse 59, D-29379, Eittingen-Knesebeck, Germany, ph: +49 5834 500, fx: +49 5834 50320, www.butting.de, email: info@butting.de

Hancor

401 Olive Street, Findlay, OH 45840, ph: 888-FOR-PIPE, fx: 888-FAX-PIPE, www.hancor.com, email: drainage@hancor.com, Contact: Tori Durliat
Hancor manufactures HDPE drainage pipe solutions for construction, agricultural, recreation and residential markets. Our focus is on issues critical to the customer including cost-efficiency, installation ease and performance.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
SaniTite	HDPE	18"-60"	up to 20.5'
BLUE SEAL	HDPE	12"-60"	20.5'
Sure-Lok	HDPE	4"-60"	20.5'
HiQ	HDPE	4"-30"	20.5'

Hobas Pipe USA

1413 Richey Rd., Houston, TX 77073, ph: 281-821-2200, fx: 281-821-7715, www.hobaspipe.com, email: kpaggioli@hobaspipe.com, Contact: Kimberly Paggioli

Proven performance from a time proven product. Our experienced staff of engineers, field service and customer service personnel are ready to assist!

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Hobas	CCFRPM fiberglass polymer mortar	18"-110"	5', 10', 20'

Holly Pipe Corp.

406 Meca St., Lafayette, LA 70508, ph: 318-232-4816, fx: 318-232-4821, www.hollypipe.com

IPEX

2441 Royal Windsor Dr., Mississauga, Ontario, L5J 4C7, Canada, ph: 800-463-9572 (US), ph: 866-473-9462 (CAN), fx: 905-403-1124, www.ipexinc.com, email: marketing@ipexinc.com

Made with AWWA C900 pipe, TerraBrute is a PVC pressure pipe system specifically engineered for horizontal directional drilling and other trenchless methods. Now contractors can standardize on PVC throughout potable water and sewer infrastructure, using open-cut or trenchless methods.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
TerraBrute	PVC	4"- 12"	20'

ISCO Industries

926 Baxter Ave.; PO Box 4545, Louisville, KY 40204, ph: 800-345-ISCO, fx: 800-831-ISCO, www.isco-pipe.com, email: sales@isco-pipe.com, Contact: Tom O'Neill

ISCO has locations nationwide to meet all your HDPE piping needs. ISCO sells, rents, services and refurbishes McElroy fusion equipment.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Solid Wall ISCO	HDPE	1/2"-63"	varies
Weholite Profile Wall	HDPE	54"-120"	varies
Snap-Tite Culvert Liners	PE	8"-63"	varies
Buttress Loc	PE	3"-20"	varies

Joy Pipe USA

16225 Park 10 Place Dr., Ste. 400, Houston, TX 77084, ph: 281-579-0388, fx: 281-579-6000, www.joypipe.com, email: info@joypipe.com, Contact: Jim Rizzo

KWH Pipe

6507 Mississauga Rd., Mississauga, ON L5N 1A6, Canada, ph: 905-858-0206, fx: 905-858-3214, www.kwhpipe.ca, Contact: Wendy Borderick
Manufactures two HDPE piping systems; Sclairpipe solid wall pressure pipe is available in diameters up to 63.2-in. OD. Weholite is a profile wall HDPE low pressure piping system available in diameters up to 10-ft. ID.

LaBarge Pipe & Steel Co.

500 N. Broadway, Ste. 1600, St. Louis, MO 63102, ph: 314-231-3400, fx: 314-982-9285, www.labargepipe.com, email: dwkersting@labargepipe.com, Contact: David Kersting
LaBarge now offers complete FBE coating services in our Channelview, TX, facility 2 3/8 in. to 42 in. O.D.

Product Name	Type of Pipe	Pipe Diameter
SMLS, ERW, DSAW	steel	2"- 54"
Rolled & Welded	steel	17" I.D. - 120" O.D.

Lamson Vylon Pipe

25701 Science Park Dr., Cleveland, OH 44122, ph: 216-464-3400, fx: 216-766-6577, www.vylonpipe.com, email: debra.kolasinski@vylonpipe.com, Contact: Debra Kolasinski

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Supliner	PVC	21"- 54"	1' - 15'
Direct Bury	PVC	21"- 54"	14'
High Density Polyethylene	PE	1"-16"	40' - 50'
Geothermal	PE	3/4"-16"	varies

Lone Star Steel

15660 N. Dallas Parkway, Ste. 500, Dallas, TX 75248, ph: 972-386-3981, fx: 972-770-640, www.lonestarsteel.com

Maverick Tube Corp.

16401 Swingley Ridge Rd., Ste. 700, Chesterfield, MO 63017, ph: 800-325-1777, fx: 636-7331676, www.maverick-tube.com

PIPE SELECTION GUIDE

Midwest Pipe

800 W. High Street, Olney, IL 62450, ph: 618-392-0666, fx: 618-392-0667, midwestpipeinc.com, email: mwpipe@accessus.net

Moffatt Enterprises

10580 S. Powell Butte Hwy., Powell Butte, OR 97753, ph: 503-548-1144

Napa Pipe Corp.

1025 Kaiser Rd., Napa, CA 94558, ph: 800-556-5300, fx: 707-257-5072, www.napapipe.com, email: sales@napapipe.com

Naylor Pipe Co.

1230 E. 92nd St., Chicago, IL 60619, ph: 773-721-9400, fx: 773-721-9494, www.naylorpipe.com, email: sales@naylorpipe.com, Contact: Russell Blais
Temporary or permanent lines for high- and low-pressure air; high- and low-pressure water; ventilating lines; dewatering; foundation piling; caissons and tank supports.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
Spiralweld	steel	4"- 120"	up to 50'

Newport Steel Corp.

Ninth & Lowell Sts., Newport, KY 41072, ph: 606-292-6000

No-Dig/Mission Clay Products

PO Box 201927, San Antonio, TX 78220, ph: 800-683-2568, fx: 830-393-4191, www.no-dig-pipe.com, email: mcspaspmco@aol.com, Contact: Billy Nelson

No-Dig manufactures microtunneling pipe in sizes 8 in. through 42 in. and lengths up to 8 ft. Low profile joints allow for pipebursting, sliplining and casing for open cut applications.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
NO-DIG	vitrified clay pipe	8"- 42"	up to 8'

North American Pipe/Ameriflow

2801 Post Oak Blvd, Ste. 300, Houston, TX 77056, ph: 800-999-7473, fx: 888-777-6404

Northwest Pipe Co.

12005 N. Burgard St., Portland, OR 97203, ph: 503-285-1400, fx: 503-382-2429, www.nwpipe.com, email: bsumpter@nwpipe.com

Pennsylvania Steel Technologies

215 South Front Street, Steelton, PA 17113-2594, ph: 800-451-7473, fx: 717-986-2700, www.bethsteel.com, email: jim.cichelli@bsco.com

Performance Pipe

5085 W. Park Blvd., Ste. 500, Plano, TX 75093, ph: 972-599-6600, fx: 972-599-6603, www.driscoplex.com
Manufacturers of polyethylene pipe for sliplining, horizontal directional drilling and other trenchless technologies.

Permalok Corp.

PO Box 10970, St. Louis, MO 63135, ph: 800-280-5511, fx: 314-524-5702, www.permalok.com, email: dmittler@permalok.com, Contact: David Mittler
Permalok steel pipe for microtunneling, ramming, jacking, augor boring and directional drilling installations utilizing the patented Permalok connection, which eliminates field welding of pipe joints.

Product Name	Type of Pipe	Pipe Diameter	Available Length
Permalok	steel	6"-155"	varies

Petris Technology

1900 Saint James Pl., Ste 700, Houston, TX 77056-4127, ph: 713-956-2165, fx: 713-956-2185, www.petris.com

Pipe Liners Inc.

1539 Jackson Ave., Ste. 220, New Orleans, LA 70130, ph: 504-524-3152, fx: 504-524-7039, www.rinkerpipelinesystems.com, email: charles.curtis@polypipeinc.com, Contact: Charles Curtis
U-Liner has more than 12,000,000 feet of pipe liner in service. The product is made from PE and is re-rounded from its folded shape to create a new pipe within a pipe. The process requires no excavation and is completely trenchless.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
U-Liner	PE	3"-24"	40' - 1,800'

PK Pipe & Tubing

PO Box 2470, Uvalde, TX 78802, ph: 830-278-6606, fx: 830-278-4305

Premier Drill Pipe

PO Box 5558, Kingwood, TX 77325, ph: 800-390-2752, fx: 281-348-0809, www.premierdrillpipe.com, email: ray@premierdrillpipe.com, Contact: Ray Teseda

Premier Drill Pipe is the only HDD rod manufacturer to offer both one-piece and forged inertia welded rods.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
One Piece Forged	steel	1.66"-2.875"	3' - 15'
Forged Inertia Welded	steel	1.66"-5.0"	5' - 30'

Premier Pipe USA

9855 West 78th Street, Ste. 400, Eden Prairie, MN 55344, ph: 952-944-8093, fx: 952-944-8093, www.premierpipeusa.com, Contact: Jim Mortell
Premier Pipe USA is installed by our certified installers: AM-Liner East, Michels Pipeline Construction, Michels Gelco and Insight Pipe Contracting.

Product Name	Type of Pipe	Pipe Diameter
Premier Pipe USA	CIPP	4"-120"

Stupp Corp.

12555 Ronaldson Rd., Baton Rouge, LA 70807-1503, ph: 225-778-2001, fx: 225-778-2101, www.stuppcorp.com, email: sawallace@stupp.com
Manufactured steel line pipe for the oil and gas industry.

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
ERW	steel	10.75"-24"	rail 85'
Elect Resistance Welded			coated 80'

Thomas Pipe & Steel

PO Box 84160, Baton Rouge, LA 70884, ph: 800-256-8264, fx: 225-356-9895, www.thomaspipes.com, email: info@thomaspipes.com

United Piping

4510 Airport Rd., Duluth, MN 55811, ph: 800-269-2968, fx: 218-727-1536, www.unitedpiping.us

U.S. Pipe and Foundry Co.

PO Box 10406, Birmingham, AL 35202, ph: 205-254-7163, fx: 205-254-7165, www.uspipe.com, email: info@uspipe.com
TR FLEX Restrained Joint Pipe is the right choice for horizontal directional drilling. It provides easy assembly and positive thrust restraint.

U.S. Steel Corp.

600 Grant Street, Rm. 2001, Pittsburgh, PA 15219, ph: 412-433-4976, fx: 412-433-3878, www.usstubular.com, email: usstubular@uss.com

Product Name	Type of Pipe	Pipe Diameter	Available Lengths
ERW	carbon steel	8"-20"	80'
Seamless	carbon steel	1.900"-24"	45'