

2005

by Traci Read ■ Senior Editor

Large Directional Drilling Rig Census

Underground Construction's 2005 census of large horizontal directional drilling contractors provides an in-depth look at the capabilities of this dynamic market.

When horizontal directional drilling (HDD) professionals discuss the size of an HDD rig, they usually refer to the maximum pullback force the unit can develop. The most common industry standard for a large directional drilling unit is defined as having a minimum of 100,000 pounds of pullback force. In addition to pullback, the most common specifications used to categorize HDD equipment are rotary torque of drill stem rotation speed and the size of drill pipe.

Selecting the right size drill rig to fit specific project needs is one of the most critical elements in managing successful HDD operations.

The drilled crossings of rivers, highways, canals and other surface and subsurface obstacles are a proven technology with a strong track record. Using this technology, contractors around the world can successfully install pipelines, cable and conduit in areas where conventional methods are unacceptable or uneconomical.

Years of experience and the best in modern technology enable the contractors listed to effectively perform projects that are within the listed range of their specific units.

A. J. Lucas Operations Pty. Ltd.

157 Church Street, Ryde
Sydney NSW, Australia 2112
Tel: (011) 61-2-9809-6866
Fax: (011) 61-2-9807-6088
E-mail: stephen.loneragan@luca.com.au
Contact: Stephen Loneragan

7 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 52 in.
Maximum Pullback: 1,100,000 lbs.
Maximum Torque: 100,000 ft./lbs.
International contractor servicing Australia and Asia with a strong focus on technically challenging projects that demand engineered solutions, particularly EPL contracts. Also, specialize in hand rock drilling utilizing patented tooling. We offer solutions!

A&L Underground

8339 Melrose Dr.
Lenexa, KS 66214-1629
Tel: (913) 438-2981; Fax: (913) 438-3815
E-mail: alex@alunderground.com
Contact: Mitch Shaffer or Elmus Corley

5 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 42 in.
Maximum Pullback: 500,000 lbs.
Maximum Torque: 85,000 ft./lbs.
Horizontal environmental potable water and soil characterization wells. Utility, pipeline and telecommunication groundwater pipe installation. Rock and coral drilling.

ARB

26000 Commercentre Dr.
Lake Forrest, CA 92630
Tel: (949) 598-9242; Fax: (949) 595-5526
E-mail: jparrish@arbinc.com
Contact: Jody Parrish

5 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 720,000 lbs.
Maximum Torque: 92,000 in ft./lbs.
ARB Inc. operates five HDD spreads around the world and has more than 19 years of HDD experience.



Tom Allen Construction Co.

3775 Tosovsky Lane
Edwardsville, IL 62025
Tel: (618) 656-3059; Fax: (618) 656-8021
E-mail: info@taconstruction.com
Contact: Neil Smith

4 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 650,000 lbs.
Maximum Torque: 52,000 ft./lbs.



Arby Construction

19705 W. Lincoln Ave.
New Berlin, WI 53146
Tel: (262) 549-1919; Fax: (262) 548-3655
E-mail: mklumb@aol.com
Contact: Michael Klumb

2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 36 in.
Maximum Pullback: 140,000 lbs.
Maximum Torque: 30,000 ft./lbs.
Arby Construction Inc. has over 15 highly portable, self-contained units ready to serve you anywhere, anytime.



Avoidatrench Ltd.

Four Crosses Industrial Park
Llanymynech, Powys
United Kingdom SW226ST
Tel: (011) 44-0-169-183-1046;
Fax: (011) 44-0-169-918-30-495
E-mail: avoidatrench@enterprise.net
Contact: Andrew Daniels
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 3 ft. 6 in.
Maximum Pullback: 85 tons
Maximum Torque: 30,000 ft./lbs.
Established 10 years. One of the original practitioners of directional drilling in Britain, and more recently a member of the Pochin Group. Known for providing reliable and competent solutions.

Badger Drilling LLC

602 Lorn Ct.
Orange Park, FL 32073
Tel: (904) 272-2221; Fax: (904) 276-1272
Contact: Leonard Nicks
1 rig offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 30 in.
Maximum Pullback: 180,000 lbs.
Maximum Torque: 30,000 ft./lbs.
Eleven years of experience primarily in Florida and neighboring states. We never fail.

Rig Census

BERCO Construction

PO Box 5134
Godfrey, IL 62035-5184
Tel: (618) 467-2440; Fax: (618) 467-2445
E-mail: berco-construction@msn.com
Contact: Matt Barton
1 rig offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 1,000,000 lbs.
Maximum Torque: 95,000 ft./lbs.
BERCO provides worldwide construction and engineering services to the horizontal directional drilling industry.

Canadian Horizontal Drilling Ltd.

RR #1
Wetaskiwin, AB
Canada T9A 1W8
Tel: (780) 352-5041; Fax: (780) 352-5048
E-mail: chdl@connect.ab.ca
Contact: Kelly Bradford
3 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 500,000 lbs.
Maximum Torque: 75,000 ft./lbs.
Company specializes in hard rock formations and has expertise in all HDD applications. Offering technical proficiency in all areas of HDD.

Cherrington Corp.

PO Box 254788
Sacramento, CA 95865
Tel: (916) 457-3040; Fax: (916) 457-5902
Contact: Larry Bertolucci
E-mail: hdd@cherrington.com
3 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 60 in.
Maximum Pullback: 300,000 lbs.
Maximum Torque: 60,000 ft./lbs.
Cherrington, the first HDD contractor, sets technology standards worldwide. Innovative solutions developed over 27 years give us the expertise to successfully complete your next crossing.

CommCorp Utility Services

86 Route 526
Allentown, NJ 08501
Tel: (609) 259-5480; Fax: (609) 259-5581
E-mail: info@commcorp.com
Contact: Hal Boston or Michael Spencer
Maximum Pipe Diameter: 60 in.
Maximum Pullback: 400,000 lbs.
Maximum Torque: 40,000 ft./lbs.

Davis Corp.

PO Box 177
Healdton, OK 73438-0177
Tel: (580) 229-1280; Fax: (580) 229-1293
E-mail: davcor@brightok.net
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 36 in.

Maximum Pullback: 380,000 lbs.
Maximum Torque: 60,000 ft./lbs.
Davis Corporation operates two large-scale directional drilling rigs in the Mid-Continent region of the U.S. We have been in business since 1962 and in directional drilling since 1989.

Direct Horizontal Drilling

PO Box 4027
Spruce Grove, AB
Canada T7X 3B2
Tel: (780) 960-6037; Fax: (780) 960-6038
Contact: Don Shipalesky
E-mail: donship@directhorizontal.com
2 rigs offering over 150,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 330,000 lbs.
Maximum Torque: 48,000 ft./lbs.

Distribution Construction Co.

PO Box 19991
Greensboro, NC 27419
Tel: (336) 294-9487; Fax: (336) 854-8909
E-mail: dccco@dccogso.com
Contact: Chuck Fox
3 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 30 in.
Maximum Pullback: 220,000 lbs.



Drilex Systems

2001 Rankin Rd.
Houston, TX 77073
Tel: (800) 421-2056; Fax: (713) 849-4369
Contact: Steve Scheffer
Maximum Pipe Diameter: 36 in.
Maximum Pullback: 140,000 lbs.
Maximum Torque: 24,000 ft./lbs.
Horizontal directional drilling and engineering firm. Specially designed fluids control system and extensive experience with downhole drilling motors allows Drilex to successfully complete crossings through rock and other formations.

Drilled Crossings

LA Hwy. 31
Arnaudville, LA 70512
Tel: (337) 754-7802; Fax: (337) 754-7804
E-mail: jerichard1@juno.com
Contact: John Richard
1 rig offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 60 in.
Maximum Pullback: 500,000 lbs.
Maximum Torque: 80,000 ft./lbs.
The second oldest, continually operating international company in the industry, Drilled Crossings has installed directionally drilled pipeline crossings in soft and hard rock conditions throughout the U.S. and abroad.

DrillTec GUT GmbH

Am Tegelberg 1
94469 Deggendorf
Germany
Tel: +49 (0) 991-330-510;
Fax: +49 (0) 991-330-549
E-mail: info@drilltec.de
Contact: Joerg Gaenger
8 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 56 in.
Maximum Pullback: 787,000 lbs.
Maximum Torque: 67,000 ft./lbs.
Working on all continents, with branches in Australia, Indonesia, Russia and Colombia; 10 partners around the world. Underground utility installation in all soil types up to lengths of 9,900 ft. Crossing the River Pur in Sibeira: laying of a 40-in. gas pipeline, 4,133 ft. in length and 82 ft. in -580 F. in depth. Crossing of the River Volga in Russia: laying of a 40-in. gas pipeline, 4,590 ft. in length and 262 ft. in depth.



Driver Pipeline Co.

3316 Industrial Drive
Pearland, TX 77581
Tel: (281) 482-4019; Fax: (281) 482-9357
E-mail: tystrick@airmail.net
Contact: Jimmy Wagstaff
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 42 in.
Maximum Pullback: 500,000 lbs.
Maximum Torque: 52,000 ft./lbs.

Dynamic Cable Construction

591 VZCR 4823
Ben Wheeler, TX 75754
Tel: (903) 849-2747; Fax: (903) 849-2748
E-mail: dynamicred@aol.com
Contact: Mickey Redwine
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 36 in.
Maximum Pullback: 200,000 lbs.
Maximum Torque: 40,000 ft./lbs.
We specialize in unusually tough crossings throughout the United States. We want the jobs others fail on or don't want! Small rigs also are available.

Enterprise "Beta" S.A.

163 Wolczynska Str.
01-919 Warsaw, PL
Tel: 0048-22-864-6970;
Fax: 0048-22-864-8208
E-mail: betasa@betasa.com.pl
Contact: Mirosław Makuch, ext. 143
1 rig offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 5 in.
Maximum Pullback: 45 tons
Maximum Torque: 19,500 ft./lbs.
Construction of steel and HDPE pipelines for the gas industry, telecommunications and water/sewage management. Achieve-

ments: 1,060 m of DN200; maximum diameter DN700.

Environmental Crossings

868 Robinwood Ct.
Traverse City, MI 49686
Tel: (231) 929-1242; Fax: (231) 941-7412
E-mail: info@ecihdd.com
Contact: Bruce Brasher
5 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 1,100,000 lbs.
Maximum Torque: 90,000 ft./lbs.
Full line of HDD capabilities including design assistance. Specialists in shore approach projects.



Gabe's Construction Company

4804 North 40th Street
Sheboygan, WI 53083
Tel: (920) 459-2600, x310;
Fax: (920) 459-2680
E-mail: tgabes@gabes.com
Contact: Tim Gabrielse
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 36 in.
Maximum Pullback: 350,000 lbs.
Maximum Torque: 50,000 ft./lbs.
National HDD contractor for pipelines, conduits, telecommunications systems, watermains and sewers.



H&H Enterprises

6104 Fenkell Rd.
Andover, OH 44003
Tel: (440) 293-8911; Fax: (440) 293-5498
E-mail: jason@handhent.com
Contact: Tom Hockran or Jason Hockran
3 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 36 in.
Maximum Pullback: 220,000 lbs.
Maximum Torque: 500,000 ft./lbs.



Specialty rock drilling contractor!

Harbert International Establishment S.A.

Manuel Tamayo #540 Y Victor Martillo,
Sector "El Eden"
Quito, Ecuador 17-03-95
Tel: (011) 593-23-281-191;
Fax: (011) 59-23-280-907
E-mail: robertsb@harbert.com.ec
Contact: Ben Roberts
1 rig offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 500,000 lbs.
Maximum Torque: 85,000 ft./lbs.

Offers horizontal directional drilling services worldwide including design, construction, drilling, inspection and consulting.

Harding Directional Drilling

10711 Spur 231
Bryan, TX 77807
Tel: (979) 778-2691; Fax: (979) 778-3312
E-mail: harding@tca.net
Contact: Robert Hamilton
5 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 800,000 lbs.
Maximum Torque: 48,000 ft./lbs.
Full-service directional drilling company serving the continental U.S., Canada and Mexico.

Haustadt & Timmermann Bohrtechnik

Bergheimer Str. 121
Duisburg, Germany D-47228
Tel: (+49) 206569030;
Fax: (+49) 20656903370
E-mail: bohrtechnik.ht@t-online.de
Contact: Ben Boere
3 rigs offering over 100,000-lbs. pullback

Maximum Pipe Diameter: 1,500 mm
Maximum Pullback: NA
Maximum Torque: 44,280 ft./lbs.
H&T is a European pipeline construction company working for the oil, gas and water industries. H&T operates 10 HDD rigs up to 400-tons pullback force.



Henkels & McCoy Inc.

985 Jolly Rd.
Blue Bell, PA 19422-0900
Tel: 1-888-HENKELS; Fax: (215) 283-7939
E-mail: marketing@henkels.com
Contact: Clint Veal (503) 255-5125
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 40 in.
Maximum Pullback: 500,000 lbs.
Maximum Torque: 50,000 ft.-lbs.
Henkels & McCoy has been actively involved with directional drilling for many years, having successfully completed crossings involving virtually every formation and working condition.



Rig Census

C.R. Hogenboom Zns B.V.

Postbox 5 N.L. 3161 H.M.
Spykenisse, The Netherlands
Tel: (31) 1880-12588;
Fax: (31) 1880-15632.
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 300,000 lbs.
Maximum Torque: 12,000 Nm/125 rpm;
50,000 Nm/35 rpm
The contractor specializes in the installation of pipelines by horizontal drilling. Fleet of three directional drilling rigs can meet any demand.

Horizontal Boring & Tunneling Co.

505 S. River Ave.
Exeter, NE 68351
Tel: (402) 266-5347; Fax: (402) 266-5377
Contact: Brent L. Moore
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 36 in.
Maximum Pullback: 400,000 lbs.
Maximum Torque: 25,000 ft./lbs.
Specializing in rock formations. Several smaller rigs also. Over 30 years experience in other trenchless methods including tunneling, pipe jacking, microtunneling, auger boring and pipe ramming.



Horizontal Drilling International

"Immeuble le Guillaumet"
60 Avenue du President Wilson
92046 Paris La Defense, France
Tel: 33-1-55-91-09-09;
Fax: 33-1-55-91-09-05
E-mail: contact@hdi.fr
Contact: Denis Pellerin
7 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 60 in.
Maximum Pullback: 800,000 lbs.
Maximum Torque: 100,000 ft./lbs.
HDI has installed HDD crossings under all types of obstacles in various types of soil - more than 2,000 crossings have been installed to date in 34 countries, lengths up to 1,800 meters long and up to 48 in. in diameter.



Horizontal Drilling Specialists, LLC

PO Box 697
Glenpool, OK 74033
Tel: (918) 321-3144; Fax: (918) 321-3177
E-mail: hdsllctulsa@aolcom
Contact: Genny Hughes
3 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Torque: 29,500 ft./lbs.
HDS has directional drill rigs ranging from 40,000- to 500,000-lbs. pullback. HDS also has hard rock hammer boring and conventional auger boring capabilities.

Hydro Soil Services

Schededijk 30
Zwijndrecht Belgium 32070
Tel: (011) 32-3-250 53 11;
Fax: (011) 32-3-250 56 51
E-mail: Driessers.Inez@dredging.com
Contact: Lucas Bols
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 500,000 lbs.
Maximum Torque: 60,000 ft./lbs.
Specialized in large diameter, long lengths and marine applications such as landfills, outfalls or water-to-water drilling.

InterCon Construction Inc.

2880 Commerce Park Drive
Madison, WI 53719-5129
Tel: (608) 227-7473; Fax: (608) 227-7470
Web: www.intercon-const.com
Contact: Steve Allen
5 rigs offering over 100,000-lbs. pullback
Maximum Pullback: 1,000,000 lbs.
Maximum Torque: 100,000 ft./lbs.
Offer full range of services - design, estimates, pipe services, horizontal directional drilling and total project management.



Isaacks Directional Drilling

PO Box 1112
Aransas Pass, TX 78335
Tel: (361) 758-7297; Fax: (361) 758-8397
E-mail: issacks@pelicancoast.net
Contact: Monty Scruggs
4 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 30 in.
Maximum Pullback: 250,000 lbs.
Maximum Torque: 30,000 ft./lbs.
Isaacks Directional Drilling has 4 directional rigs available for service throughout the U.S., Mexico and Canada.

Japan Drilling Co., Ltd.

Shinhoridome Bldg.
2-4-3 Horidome-cho, Nihonbashi
Chuo-ku, Tokyo, 103-0012, Japan
Tel: (011) 81-3-5847-5858;
Fax: (011) 81-3-5644-5703
E-mail: hdd@jdc.co.jp
Contact: Shohei Kato
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 330,000 lbs.
Maximum Torque: 48,000 ft./lbs.
We cope with every condition of HDD using our expertise and technical development.

Kamloops Augering Ltd.

10085 Dallas Dr.
Kamloops, BC V2C 6W6
Canada

Tel: (250) 573-7814; Fax: (250) 573-7815
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 500,000 lbs.
Maximum Torque: 47,000 ft./lbs.
The rig was built for overseas and Pacific Rim countries. Robbins HDD built the rig and Kamloops built the mud system.

LMR Drilling GmbH

Ammerlaender Heerstrasse 368
D-26129 Oldenburg, Germany
Tel: (49) 0441-971-91-0;
Fax: (49) 0441-971-91-91
E-mail: info@lmr-drilling.de
Contact: H. W. Hausmann, G.P. Moogveld or G. Kruse
4 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 56 in.
Maximum Pullback: 1,000,000 lbs.
Maximum Torque: 130,000 ft./lbs.
Horizontal directional drilling; engineering; construction and installation of directional drilled crossings, outfalls and shore approaches.



Laney Directional Drilling Co.

PO Box 1449
Humble, TX 77347
Tel: (281) 540-6615; Fax: (281) 540-6727
E-mail: gbell@laneydrilling.com
Contact: Grady Bell
13 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 54 in.
Maximum Pullback: 1,700,000 lbs.
Maximum Torque: 110,000 ft./lbs.
Highly portable drilling services include support equipment for the most difficult large diameter, longer projects. From clays to rock and gravel to silty sands.

Longbore

4125 Southerland
Houston, TX 77092
Tel: (713) 690-8440; Fax: (713) 690-8441
Contact: David Bardsley
3 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 24 in.
Maximum Pullback: 140,000 lbs.
Maximum Torque: 25,000 ft./lbs.

Longbore Ltd.

20, Caputhall Rd.
Livingston, West Lothian
United Kingdom EH54 8AS
Tel: (011) 44-1506-461166;
Fax: (011) 44-1506-461188
E-mail: company@longbore.co.uk
Contact: Ross Henderson
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 24 in.
Maximum Pullback: 140,000 lbs.
Maximum Torque: 25,000 ft./lbs.
Longbore Limited operates two maxi rigs

from an office in the United Kingdom; specializing in hard rock installations, outfalls and environmental wells.

Mears/HDD, LLC

901 Ridgeway Ave.
Aurora, IL 60506
Tel: (888) 263-2300; Fax: (630) 433-9878
E-mail: hdd@mears.net
Contact: Adam Bosch or Scot Fluharty
14 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 60 in.
Maximum Pullback: 880,000 lbs.
Maximum Torque: 90,000 ft./lbs.
Mears/HDD, LLC is an international, experienced horizontal directional drilling contractor with completed crossings in excess of 7,100 ft. We work with engineering firms, owner companies, utility, pipeline and communications contractors – installing pipelines, conduits and environmental remediation wells. Mears has mini, mid-sized and large, self-contained drilling rigs capable of meeting a variety of crossing requirements.



Michels Corporation

PO Box 128
817 W. Main Street
Brownsville, WI 53006
Tel: (920) 583-3132; Fax: (920) 583-3429
E-mail: www.michels.us
Contact: Robert H. Westphal or
Tim McGuire
15 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 60 in.
Maximum Pullback: 1,200,000 lbs.
Maximum Torque: 113,000 ft./lbs.
Tie into an industry leader in horizontal directional drilling. Completed crossings up to 15,000 ft. long and 48-in. diameter; 65 rigs available.



Miller The Driller

5125 E. University Ave.
Des Moines, IA 50327-7007
Tel: (800) 833-3950; Fax: (515) 266-1349
E-mail: kris@millerthedriller.com
Contact: Kris Young
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 24 in.
Maximum Pullback: 4,000 lbs.
Maximum Torque: 30,000 ft./lbs.
Rock drilling, gas pipelines, telecommunications, water and sewer line and specialty drilling.

Murphy Brothers

3150 Fifth Ave.
East Moline, IL 61244
Tel: (309) 752-1227; Fax: (309) 752-1281
Contact: Michael D. Murphy
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 550,000 lbs.
Maximum Torque: 65,000 ft./lbs.



NACAP Drilling Sdn Bhd

50-11-09, 11th Floor
Wisma UOA Damansara
50 Jalan Dungun, Damansara Heights
Kuala Lumpur, Malaysia 50490
Tel: +603 2093 7100; Fax: +603 2093 7080
E-mail: nacap@nacap.com.my
Contact: Duncan McCombie
3 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 52 in.
Maximum Pullback: 600,000 lbs.
Maximum Torque: 80,000 ft./lbs.
From its regional headquarters in Malaysia,

Nacap Drilling Sdn Bhd specializes in installing crossings and shore approaches for clients in the oil and gas, water, power and telecommunication sectors throughout the Asia Pacific region.

NACAP Nederlands B.V.

Machlaan 5
9761 TK Eelde
The Netherlands
Tel: +31-50-599-1200;
Fax: +31-50-599-1223
Contact: Jo Eising
4 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 60 in.
Maximum Torque: 60,000 ft./lbs.
As a specialist in HDD, NACAP offers a complete package of services, from design and work preparation to execution and commissioning.



Rig Census

Nella Drilling

118 Rue De La Gare
St. Henri, Quebec
Canada G0R 3E0
Tel: (418) 882-2002; Fax: (418) 882-2721
E-mail: info@nella-drilling.com
Contact: Gill Tardif
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 750,000 lbs.
Maximum Torque: 92,000 ft./lbs.

Ozzie's Directional Drilling

7520 E. Adobe Drive
Scottsdale, AZ 85255
Tel: (480) 585-9400; Fax: (480) 585-7977
E-mail: info@ozzies.com
Contact: Craig Weaver
6 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 60 in.
Maximum Pullback: 1,400,000 lbs.
Maximum Torque: 140,000 ft./lbs.
With 14 drill rigs and mud systems custom built from 1998 through 2001, Ozzie's has the latest in directional drill technology. Crossings from 2- to 60-in. and lengths to 6,000 plus ft.



Piute Contractors

418 Cypress Rd.
Ocala, FL 34472
Tel: (352) 680-0111; Fax: (352) 680-0333
E-mail: piutehdd@aol.com
Contact: Greg Welch
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 330,000 lbs.
Maximum Torque: 45,000 ft./lbs.
Piute has completed over 300 directional drills and bores. All projects were completed to specification in an efficient, safe, environmentally responsible and timely manner.

Ranger Directional

200 Ida Road
Broussard, LA 70518
Tel: (337) 837-5447; Fax: (337) 837-2409
E-mail: bsimon@rangerdirectional.com
Contact: Boyd Simon
1 rig offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 30 in.
Maximum Pullback: 140,000 lbs.
Maximum Torque: 30,000 ft./lbs.
Ranger consistently places the required product to customer specifications and takes pride in our reputation as a company that efficiently and safely gets the job done.

San Antonio, S.A.

Viamonte 1133, Piso 6
Buenos Aires, Argentina 1053
Tel: 00541-4370500; Fax: 4370-5500
E-mail: lberney@pride-ar.com.ar
Contact: Lucio Berney
1 rig offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 24 in.
Maximum Pullback: 140,000 lbs.
Maximum Torque: 25,000 ft./lbs.
Crossings up to 3,000 ft., 24-in. pipe in Peru, Bolivia, Chile, Argentina, Brazil and Uruguay.

G.B. "Boots" Smith Drilling

PO Drawer 1987
Laurel, MS 39441
Tel: (601) 649-1220; Fax: (601) 649-3533
Contact: Billy Cleveland
1 rig offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 400,000 lbs.
Maximum Torque: 57,000 ft./lbs.
Capable of performing all horizontal directional drilling related work with a complete pipe-side assistance crew and equipment.

Southeast Directional Drilling

2323 South Hardy Dr.
Tempe, AZ 85282
Tel: (480) 222-4440; Fax: (480) 222-4443
E-mail: info@southeastdrilling.com
Contact: Eddie Ramos
3 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 60 in.
Maximum Pullback: 1,400,000 lbs.
Maximum Torque: 140,000 ft./lbs.
The company can drill in lengths in excess of 6,400 ft. and sizes from 2- to 56-in. diameter pipe.



Spalj Construction Company

Co. Rd. 12
PO Box 428
Deerwood, MN 56444
Tel: (218) 546-6022; Fax: (218) 546-8243

Sunland Directional Drilling

PO Box 1087
Eunice, LA 70534
Tel: (318) 546-0241; Fax: (318) 546-0245
Contact: James Daigle
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 40 in.
Maximum Torque: 30,600 ft./lbs.

The Crossing Company

1807 8th Street
Nisku, AB
Canada T9E 7S8
Tel: (780) 955-5051; Fax: (780) 955-5056
E-mail: lbriscoe@thecrossingcompany.com
Contact: Lon Briscoe
7 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 42 in.
Maximum Pullback: 850,000 lbs.
Maximum Torque: 115,000 ft./lbs.
The Crossing Company operates a fleet of HDD cold weather maxi rigs and regularly works in temperatures of -40° C.

Utility Boring

10771 Almond Ave., #A
Fontana, CA 92337
Tel: (909) 356-8888; Fax: (909) 356-1428
E-mail: brianaanestadubi@aol.com
Contact: Brian A. Anestad
2 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 36 in.
Maximum Pullback: 500,000 lbs.
A West Coast leader in HDD. UBI offers full turnkey operations for all job types. Hard rock, recorded profiles and satisfied customers.

UTILX Corp.

PO Box 97009
Kent, WA 98064
Tel: (253) 395-0200; Fax: (253) 395-1040
E-mail: info@utilx.com
Contact: George Taylor
1 rig offering 100,000-lbs. pullback
Maximum Pipe Diameter: 24 in.
Maximum Pullback: 100,000 lbs.
Maximum Torque: 25,000 ft./lbs.

Visser & Smit Hanab BV

Rietgorsweg 6
PO Box 305, 3350
AH Papendrecht, The Netherlands
Tel: (011) 31 78 641 7222
Fax: (011) 31 786 155163
E-mail: hanab@wxshl
Contact: Ringets JA
4 rigs offering over 100,000-lbs. pullback
Maximum Pipe Diameter: 48 in.
Maximum Pullback: 650,000 lbs.
HDD rigs available throughout the year.